

According to Regulation (EC) No. 1907/2006

MSDS Number: GBF-1047 Date Prepared: Feb 15 2023 Revision: 0 Revision Date: -

KF-S 012 Acoustic Firestop Mortar

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product name KF-S 012 Acoustic Firestop Mortar

CAS No Not available.

Chemical Name Not available.

Chemical Formula Not available.

Packaging Craft bag, 20 kg.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description Thermolock is used as a insulation plaster.

1.3. Details of the supplier of the safety data sheet

Company Kimfor Yapi Kim. Izo. Ins. Mad. Gida San. Tic. Ltd. Sti.

Address Yunuseli Mh. Akyıldız Cad. No:3, Osmangazi/BURSA / TURKEY

Telephone / Fax +90 224 248 78 42

E-mail info@kimfor.com.tr

1.4. Emergency telephone number

Kimfor Yapi Ltd. +90 224 248 78 42 (Not available outside office hours)



According to Regulation (EC) No. 1907/2006

MSDS Number: GBF-1047 Date Prepared: Feb 15 2023 Revision: 0 Revision Date: -

KF-S 012 Acoustic Firestop Mortar

2. COMPOSITION/INFORMATION ON INGREDIENTS

2.1. Substances

Component	CAS#	Concentration
Perlite	93763-70-3	25%
Pumice	1332-09-8	20%
Cement	65997-15-1	30%
Limestone	1317-65-3	22%
Polymer	N/A	3%

NO DETECTABLE HAZARDOUS COMPONENTS

3. HAZARDS IDENTIFICATION

3.1. Potential Health Effects

Primary Route of Exposure Inhalation

3.2. Relevant Route of Exposure

Eye Contact Contact with particulate may cause slight to moderate eye irritation. Abrasive action of dust

particulate can damage eye.

Skin Contact Prolonged or repeated contact may cause slight to moderate skin irritation.

Inhalation Overexposure by inhalation of airborne particulate, dust, or fumes is irritating to the nose,

throat and respiratory tract. Inhalation of excessive levels of dust or fumes may be harmful.

Ingestion Ingestion is an unlikely route of exposure; no hazard in normal industrial use. Small amounts

(< tablespoon) swallowed during normal handling operations are not likely to cause injury. However, if ingested in sufficient quantity may cause injury such as gastrointestinal disturbances. Symptoms may include irritation, nausea, vomiting, abdominal pain, and

diarrhea.



According to Regulation (EC) No. 1907/2006

MSDS Number: GBF-1047 Date Prepared: Feb 15 2023 Revision: 0 Revision Date: -

KF-S 012 Acoustic Firestop Mortar

4. FIRST AID MEASURES

4.1. Emergency and First Aid Procedures

In case of skin contact Wash with mild soap and water to remove any dust adhering to skin. A commercially available

hand lotion may be used to treat dry skin areas. If skin has become cracked, take appropriate action to prevent infection and promote healing. If irritation persists, contact physician.

In case of eye contact Flush thoroughly with clean, flowing, lukewarm water (low pressure) for 15 minutes. If irritation

persists, contact a physician.

Inhalation Leave the area of dust exposure and remain away until coughing or other symptoms subside.

If not breathing, give artificial respiration or give oxygen by trained personnel. If respiratory

symptoms persist, contact a physician.

Ingestion Ingestion is an unlikely route of exposure. If ingested in sufficient quantity and victim

conscious, give 1-2 glasses of milk. Never give anything by mouth to an unconscious person. Leave decision to induce vomiting to qualified medical personnel, since particles may be

aspirated into the lungs. Seek immediate medical attention.

5. FIRE FIGHTING MEASURES

5.1. Flammable Properties

This material will not burn. No unusual fire or explosion hazards.

5.2. Suitable Extinguishing Media

Use extinguishing media appropriate to combustibles in the surrounding area.

5.3. Special hazards arising from the substance

Not combustible.

5.4. Advice for fire-fighters

Wear full protective clothing including self contained breathing apparatus for firefighting if necessary.



According to Regulation (EC) No. 1907/2006

MSDS Number: GBF-1047 Date Prepared: Feb 15 2023 Revision: 0 Revision Date: -

KF-S 012 Acoustic Firestop Mortar

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions

Avoid inhalation of dust. Provide adequate ventilation.

6.2. Methods and materials for containment and cleaning up

Product is a dry solid (granular or powder) and not readily soluble in water. However, prevent spilled product from entering streams, water bodies, and wastewater systems.

Vacuum or sweep up dry material and place in a container for reuse. Avoid creating excessive airborne dust. Cleanup personnel need to wear approved respiratory protection (air purifying or air supplying), gloves, long sleeved clothing and goggles to prevent irritation from contact and inhalation.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with skin and eyes. Always use adequate ventilation, avoid breathing dust and prolonged exposure. Launder contaminated clothing before reuse.

7.2. Condition for safe storage

Store in a cool, dry area. Keep container closed when not in use.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

8.1. Control parameters of product

Product	CAS#	OSHA PEL (TWA)	ACGIH TWA	NIOSH TWA
KF-S 012 Acoustic Firestop Mortar	N/A	N/A	N/A	N/A



According to Regulation (EC) No. 1907/2006

MSDS Number: GBF-1047 Date Prepared: Feb 15 2023 Revision: 0 Revision Date: -

KF-S 012 Acoustic Firestop Mortar

8.2. Control parameters of components

Component	CAS#	OSHA PEL	ACGIH TLV	NIOSH TWA
Perlite	93763-70-3	10 mg/m³	3 mg/m³	N/A
Pumice	1332-09-8	N/A	N/A	N/A
Cement	65997-15-1	50 million particles/ft³	10 mg/m³	N/A
Limestone	1317-65-3	15 mg/m³	N/A	10 mg/m³
Polymer	105-05-4	10 mg/m³	N/A	N/A

8.3. Exposure controls

Respiratory protection NIOSH (US) or European standard EN 149 approved respirators should be employed when

using product outside of a fume hood or when ventilation is not adequate.

Hand protection Chemical resistant gloves are required.

Eye & face protection Corrosive to eyes. Wear protective safety goggles when dust generation is likely.

Skin & body protection Protective clothing such as long sleeves or a lab coat should be worn. Neoprene or neoprene

gloves with cuffs are recommended. When handling heated materials, also be sure to use

heat-resistant gloves, boots and face protection.



According to Regulation (EC) No. 1907/2006

MSDS Number: GBF-1047 Date Prepared: Feb 15 2023 Revision: 0 Revision Date: -

KF-S 012 Acoustic Firestop Mortar

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Dust

Colour White

Odorless

Odour threshold Not applicable

pH, at 100 g/l Not applicable

Melting point/range, °C Not available

Boiling point, °C Not available

Flash point, °C Not applicable

Evaporation rate Not available

Flammability Not applicable

Incombustibility A1 Non-flammable product certification is available.

Min explosive Conc., g/dm³ Not applicable

Vapour pressure, @ 20 °C,

hPa

8.13

Vapor density (air=1) Not applicable

Relative density @ 25 °C

(water=1)

Not available

Solubility in water @ 20 °C,

gr/100 ml

Insoluble

n-Octanol/Water (log Po/w) Not applicable

Decomposition temperature Not applicable

Viscosity, dynamic (mPa s) Not applicable



According to Regulation (EC) No. 1907/2006

MSDS Number: GBF-1047 Date Prepared: Feb 15 2023 Revision: 0 Revision Date: -

KF-S 012 Acoustic Firestop Mortar

10. STABILITY AND REACTIVITY

10.1. Reactivity

Thermolock is an inert and stable material.

10.2. Chemical Stability

This product is stable under normal conditions for shipping, storage and installation.

10.3. Possibility of hazardous reactions

Under normal conditions, not hazardous reactions will occur.

10.4. Conditions to avoid

None

10.5. Incompatible materials

Thermolock can react with molten alkalies and alkali vapors.

10.6. Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity No data available. Skin corrosion/irritation No data available. Respiratory or skin sensit. No data available Irritation to respiratory tract No data available. Mutagenicity No data available. Carcinogenicity No data available. **Immunotoxicity** No data available. **Teratogenicity** No data available. **Neurotoxicity** No data available.



According to Regulation (EC) No. 1907/2006

MSDS Number: GBF-1047 Date Prepared: Feb 15 2023 Revision: 0 Revision Date: -

KF-S 012 Acoustic Firestop Mortar

12. ECOLOGICAL INFORMATION

12.1. Toxicity

No data available on any adverse effects of this material on the environment.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available..

12.6. Other adverse effects

No information available..

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

If the quantity is substantial return to supplier or manufacturer. Small quantities should be disposed in accordance with domestic waste regulations.

Dispose of contaminated packaging as unused product.



According to Regulation (EC) No. 1907/2006

MSDS Number: GBF-1047 Date Prepared: Feb 15 2023 Revision: 0 Revision Date: -

KF-S 012 Acoustic Firestop Mortar

14. TRANSPORT INFORMATION

14.1. Land transport (ADR/RID/GGVSE)

This product is not regulated by USDOT as a hazardous material. No UN code assigned. No placard required for transportation

14.2. Air transport (ICAO-IATA/DGR)

This product is not regulated by USDOT as a hazardous material. No UN code assigned. No placard required for transportation

14.3. Sea transport (IMDG-Code/GGVSee)

This product is not regulated by USDOT as a hazardous material. No UN code assigned. No placard required for transportation

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislations specific for the substance

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006

16. OTHER INFORMATION

Further Information

Kimfor Yapi Kim. Izo. Ins. Mad. Gida San. Tic. Ltd. Sti. believes that the information in this Material Safety Data Sheet is accurate and represents the best and most current information available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use or misuse. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

Approval date

Feb 15 2023

Prepared by

Gultekin Baskoylu

Chemist